


No.

9200216



# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

The Curators of the University of Missouri

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS SEED OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Delsoy 4710'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this *30th* day of November in the year of our Lord one thousand nine hundred and ninety-four.

Attest:

*Kenneth Evans*

Commissioner

Plant Variety Protection Office  
Agricultural Marketing Service

*Mike Egan*  
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

FORM APPROVED: OMB NO. 0581-0055

## APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) The Curators of the University of Missouri		2. TEMPORARY DESIGNATION S84-1163	3. VARIETY NAME Delsoy 4710
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) 321 University Hall Columbia, MO 65211		5. PHONE (Include area code) 314-882-3211	FOR OFFICIAL USE ONLY PVPO NUMBER 9200216
6. GENUS AND SPECIES NAME Glycine max (L.) Merr.	7. FAMILY NAME (Botanical) Leguminosae		FILING DATE June 19, 1992 TIME 11:05 <input checked="" type="checkbox"/> A.M. <input type="checkbox"/> P.M.
8. KIND NAME Soybean	9. DATE OF DETERMINATION 11-28-88		FEES RECEIVED AMOUNT FOR FILING \$ 2150.00 DATE May 20, 1992 AMOUNT FOR CERTIFICATE \$ 250.00 DATE Nov. 8, 1994
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Educational Organization			12. DATE OF INCORPORATION
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Missouri			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Dr. S. C. Anand University of Missouri Delta Center Portageville, MO 63873 PHONE (Include area code): 314-379-5431			

## 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED

- a. ☒ Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)  
b. ☒ Exhibit B, Novelty Statement.  
c. ☒ Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.)  
d. ☒ Exhibit D, Additional Description of Variety.  
e. ☒ Exhibit E, Statement of the Basis of Applicant's Ownership.

## 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.)

☒ Yes (If "Yes," answer items 16 and 17 below) ☐ No

## 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?

☒ Yes ☐ No

## 17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?

☒ Foundation ☒ Registered ☒ Certified

## 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?

☐ Yes (If "Yes," give date)☒ No

## 19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES?

IN U.S. 4-18-91

3/18/92 LHS 23 September 1992

☒ Yes (If "Yes," give names of countries and dates)☐ No

## 20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

APPROVED AS TO LEGAL FORM The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT THE CURATORS OF THE UNIVERSITY OF MISSOURI

DATE

SIGNATURE OF APPLICANT Jacquelyn K. Jones  
Director, Business Services

DATE

**Origin and Breeding History of the Variety**

Delsoy 4710 was selected from the cross L77-443 x L77-906. L77-443 originated from 'Union' x L75-8020, whereas L77-906 was derived from 'Williams' x PI 209332. L75-8020 was developed from the cross Williams x L70-2283, whereas L70-2283 originated from the cross Custer x Chippewa. L77-443 and L77-906 were received from Dr. R. L. Bernard of the University of Illinois. The  $F_1$  plants were grown in the winter nursery in Puerto Rico and the  $F_2$  population was grown in the cyst nursery at the Rhodes Farm of the University of Missouri, near Clarkton, MO. One pod from each desirable plant was picked and the  $F_3$  generation was advanced in Puerto Rico. The  $F_4$  generation was grown in the cyst nursery and individual plants were harvested and screened in the greenhouse for reaction to SCN races 3 & 14. Homozygous SCN resistant  $F_5$  lines were selected and grown at the Lee Farm, near Portageville, MO and composited for yield testing and seed increase. Delsoy 4710 was evaluated under the designation S84-1163 in the Regional SCN Tests IV from 1988 through 1990.

By and large, Delsoy 4710 has maintained its uniformity and stability from  $F_5$  generation by reproduction through the seed except slight variability for hila color which is described in Exhibit D.

**Exhibit B****Novelty Statement**

'Delsoy 4710' most closely resembles 'Douglas' in plant and leaf types, however, Delsoy 4710 is resistant to both races 3 & 14 of the soybean cyst nematode (*Heterodera glycines* Ichinohe) whereas, Douglas is susceptible.

OBJECTIVE DESCRIPTION OF VARIETY  
SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) The Curators of the University of Missouri	TEMPORARY DESIGNATION S84-1163	VARIETY NAME Delsoy 4710
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) 321 University Hall Columbia, MO 65211		FOR OFFICIAL USE ONLY PVPO NUMBER 9200216

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g., ). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

## 1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)  
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)  
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

## ★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow      2 = Green      3 = Brown      4 = Black      5 = Other (Specify) \_\_\_\_\_

## 3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')      2 = Shiny ('Nebsoy'; 'Gasoy 17')

## ★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

## ★ 5. HILUM COLOR: (Mature Seed)

1 = Buff      2 = Yellow      3 = Brown      4 = Gray      5 = Imperfect Black      6 = Black      7 = Other (Specify) \_\_\_\_\_

## ★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow      2 = Green

## ★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low      2 = High

## ★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP1<sup>a</sup>)      2 = Type B (SP1<sup>b</sup>)

## ★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')      2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')  
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')  
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

## ★ 10. LEAFLET SHAPE:

1 = Lanceolate      2 = Oval      3 = Ovate      4 = Other (Specify) \_\_\_\_\_

## 11. LEAFLET SIZE:

☐ 11 = Small ('Amsoy 71'; 'A5312')  
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

9200216

## 12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')  
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

## ★ 13. FLOWER COLOR:

☐ 2

1 = White

2 = Purple

3 = White with purple throat

## ★ 14. POD COLOR:

☐ 1

1 = Tan

2 = Brown

3 = Black

## ★ 15. PLANT PUBESCENCE COLOR:

☐ 2

1 = Gray

2 = Brown (Tawny)

## 16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')  
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

## ★ 17. PLANT HABIT:

☐ 3

1 = Determinate ('Gnome'; 'Braxton')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

2 = Semi-Determinate ('Will')

## ★ 18. MATURITY GROUP:

☐ 0 ☐ 7

1 = 000

2 = 00

3 = 0

4 = I

5 = II

6 = III

7 = IV

8 = V

9 = VI

10 = VII

11 = VIII

12 = IX

13 = X

## ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

## BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 0Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

## FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora soja*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0


Race 5

☐ 0

Other (Specify)

☐ 0Target Spot (*Corynespora cassiicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☐ 0Brown Stem Rot (*Cephalosporium gregatum*)☐ 0Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

9200216

FUNGAL DISEASES: (Continued)

- ★ ☐ 0 Pod and Stem Blight (*Diaporthe phaseolorum* var; *sojae*)
- ☐ 0 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 0 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 0 Race 3 ☐ 0 Race 4 ☐ 0 Race 5 ☐ 0 Race 6 ☐ 0 Race 7
- ☐ 0 Race 8 ☐ 0 Race 9 ☐ 0 Other (Specify) \_\_\_\_\_

VIRAL DISEASES:

- ☐ 0 Bud Blight (Tobacco Ringspot Virus)
- ☐ 0 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 0 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 0 Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 2 Race 3 ☐ 0 Race 4 ☐ 2 Other (Specify) Race 14
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 2 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 2 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ 0 OTHER DISEASE NOT ON FORM (Specify): \_\_\_\_\_

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 0 Iron Chlorosis on Calcareous Soil
- ☐ 0 Other (Specify) \_\_\_\_\_

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ 0 Other (Specify) \_\_\_\_\_

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Delsoy 4500	Seed Coat Luster	Flyer
Leaf Shape	Douglas	Seed Size	Spencer
Leaf Color	Corsoy	Seed Shape	Flyer
Leaf Size	Douglas	Seedling Pigmentation	Pyramid


## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

9200216

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/ POD
				CM Width	CM Length	% Protein	% Oil		
Submitted	138	2.3	107	6.88	11.58	41.0	20.3	16.9	Not recorded
Name of Similar Variety	Pharaoh 139	Delsoy 4500 1.8	Delsoy 4500 102	Douglas 6.90	Douglas 11.60	Spencer 41.5	Penny- rile 20.3	Spencer 16.7	Not recorded

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.





**Exhibit D****Additional Description of the Variety**

Delsoy 4710 seeds have black hila, however, there may be up to 0.1% seeds with variable color. Delsoy 4710 is a late maturity group IV soybean variety and is 3-4 days later than Delsoy 4500.

EXHIBIT EStatement of the Basis of Applicant's Ownership

The variety was developed by the funds and facilities primarily provided by the University of Missouri and the work was done on the University of Missouri Delta Research Station. The Missouri Soybean Merchandising Council provided some funds to the said university which were also utilized in the development of this variety.